

START

INFANT CPR (0-1 yr) INSTRUCTIONS

Does anyone there
know how to do
INFANT CPR?

NO

YES

Do you need help in
remembering the
procedures?

YES

NO

Begin CPR on the baby now.
I'll stay on the line if you need me until
help arrives.

BRING THE BABY TO THE PHONE!

Listen carefully. I'll tell you what to do.

Lay the baby **FLAT** on it's back on a hard surface, such as the floor or a table.

BARE the baby's chest.

Tilt the head back **SLIGHTLY** by **LIFTING** the **CHIN**.

TIGHTLY COVER the baby's **MOUTH AND NOSE** with your mouth.

Blow two **SMALL PUFFS** of air **SLOWLY** into the baby's **LUNGS**.

Make sure the baby's **CHEST GENTLY RISES** with each puff.

Then come back to the phone. If I'm not here, stay on the line.

OK

Reported Patient Vomited


I CAN'T / HYSTERICAL

You're going to have to calm down to be able to help!


Turn his/her head to the side.
Sweep it all out with your little finger
before you start mouth-to-mouth.

(CONT.)

(RESUME)



(RESUME)



BLANK PAGE

(RESUME.)

BARE the chest.

KNEEL at the patient's side.

Keep the patient's head **STRAIGHT**.

COMPLETELY COVER the **STOMA** with your mouth.

(If necessary include) Tightly **COVER** the patient's **MOUTH and NOSE** with your hand.

GIVE TWO SLOW BREATHS OF AIR into the patients **LUNGS**--just like you're blowing up a big balloon.

Make sure the **CHEST GENTLY RISES**.

REMEMBER, FLAT on their **BACK**. **BARE** the **CHEST**, **KEEP THE HEAD STRAIGHT**.

COMPLETELY COVER the **STOMA** with your mouth.

GIVE TWO SLOW BREATHS. THEN COME BACK TO THE PHONE!

If I'm not here stay on the line.

OK

**Reported Patient's stoma
(neck opening) is encrusted
with mucus.**

I CAN'T / HYSTERICAL

You're going to have to calm down to be able to help!

Clean the opening with a clean cloth or handkerchief.

Did the CHEST RISE?

YES

NO

Repeat instructions having caller tightly COVER the patient's MOUTH AND NOSE with one hand while giving the two slow breaths, EMPHASIZING tightly covering the patient's mouth and nose.

Chest still does not rise.

**GO TO CHOKING ADULT INSTRUCTIONS
IMPORTANT: Keep head straight, give breaths via stoma!**

(CONT.)

(RESUME)

Put the **HEEL** of your **HAND** on the **CENTER** of their **CHEST**, right **BETWEEN** the **NIPPLES**.
Put your **OTHER HAND ON TOP** of **THAT** hand.
PUSH DOWN FIRMLY, ONLY on the **HEELS** of your hands, **1-½ to 2** inches.
Do it fifteen times, just like you're pumping their chest. (Count: 1, and 2, and 3, and 4, and...)
MAKE SURE the **HEEL** of your hand is on the **CENTER** of their chest, **RIGHT BETWEEN THE NIPPLES**.
Pump fifteen times.
Then, **COMPLETELY COVER** the **STOMA** with your mouth.
(If necessary include) **COVER** the patient's **MOUTH and NOSE** with your hand.
TWO MORE BREATHS and **PUMP** the **CHEST** fifteen times.
KEEP DOING IT; PUMP the **CHEST** fifteen times. Then **TWO BREATHS**.
KEEP DOING IT UNTIL HELP CAN TAKE OVER.
I'll stay on the line.

OK

I CAN'T / HYSTERICAL

CONTINUE TO ASSIST
UNTIL HELP ARRIVES!

You're going to have to calm down to be able to help!